## Washington State Department of Ecology

Environmental Assessment Program

Standard Operating Procedure for Field Collection, Processing and Preservation of Finfish Samples at the Time of Collection in the Field

Version 1.0

Author – Patti Sandvik Date -

Reviewer – Keith Seiders

Date -

QA Approval – Cliff Kirchmer, EAP Quality Assurance Coordinator Date -

**EAP009** 

Please note that the Washington State Department of Ecology's Standard Operating Procedures (SOPs) are adapted from published methods, or developed by in-house technical and administrative experts. Their primary purpose is for internal Ecology use, although sampling and administrative SOPs may have a wider utility. Our SOPs do not supplant official published methods. Distribution of these SOPs does not constitute an endorsement of a particular procedure or method.

Any reference to specific equipment, manufacturer, or supplies is for descriptive purposes only and does not constitute an endorsement of a particular product or service by the author or by the Department of Ecology.

Although Ecology follows the SOP in most instances, there may be instances in which Ecology uses an alternative methodology, procedure, or process.

### **SOP** Revision History

Revision Date	Rev number	Summary of changes	Sections	Reviser(s)
	- Hameer			

#### **Environmental Assessment Program**

Standard Operating Procedure for Field Processing and Preservation of Fish Samples.

## 1.0 Purpose and Scope

- 1.1 This document is the Environmental Assessment Program (EAP) Toxics Study Unit (TSU) Standard Operating Procedure (SOP) for field collection, processing and preservation of finfish samples at the time of collection in the field, in preparation for resection and compositing in the lab at a later date.
- 1.2 Washington State Department of Ecology investigates the occurrence and concentrations of toxic contaminants in fish tissue. This SOP is intended to provide consistent techniques that ensure the quality of sample collection, tissue preparation (including whole finfish or other body parts) for the purpose of homogenizing samples for chemical analysis by an accredited analytical laboratory. This SOP was adapted from the Environmental Protection Agency's (EPA) *Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1 Fish Sampling and Analysis Third Edition* (2000).

## 2.0 Applicability

This procedure is to be followed by Ecology person(s) conducting any project involving finfish tissue sample collection and processing at the time of collection in the field.

#### 3.0 Definitions

- 3.1 Processing Bench Sheet a table, usually created in Excel®, used to plan and document sample processing data for each fish collected (Attachment 1).
- 3.2 Composite composite samples are homogeneous mixtures of samples from two or more individual organisms of the same species collected at a particular site and analyzed as a single sample.
- 3.3 Ecology Washington State Department of Ecology.
- 3.4 EAP Environmental Assessment Program.
- 3.5 Field Logbook A weather resistant logbook used to document any and all field activities, sample data, methods and observations for each and all collection sites.
- 3.6 Lab Analysis & Tracking Plan a table, usually created in Excel®, used to plan and document lab analyses of samples for single or multiple projects (Attachment 2).
- 3.7 QAPP Quality Assurance Project Plan.

- 3.8 Resecting surgical removal of all or part of an organ, tissue or structure.
- 3.9 TSU Washington State Department of Ecology's Toxics Study Unit.
- 3.10 WDFW Washington Department of Fish and Wildlife.
- 3.11 WSTMP Washington State Toxics Monitoring Program.

#### 4.0 Personnel Qualifications/Responsibilities

Boat operations require that staff meet specific training requirements as described in EAP's Field Safety Manual, such as an EA Boating Course and an approved Boating Safety Course. Most field operations also require training specified in EAP's Field Safety Manual such as First Aid, CPR, and Defensive Driving. Staff leading or participating in electrofishing operations must meet qualifications described in Scientific Collection Permits (required qualification may vary by permits, so each permit needs to be consulted).

### 5.0 Equipment, Reagents, and Supplies

5.1 Fish identification guides.

Wydoski, R. and R. Whitney. 2003. *Inland Fishes of Washington*, Second Edition. University of Washington Press. Seattle, WA.

Sport Fishing Rules for Washington – current year's edition located at <a href="https://fortress.wa.gov/dfw/erules/efishrules/index.jsp">https://fortress.wa.gov/dfw/erules/efishrules/index.jsp</a>.

- 5.2 Field weather resistant notebook Rite in the Rain<sup>TM</sup> (Figure 1).
- 5.3 Indelible ink and pens that function when wet.
- 5.4 Marking pens, pencils, pencil sharpener, permanent markers.
- 5.5 Field Identification (ID) tags (Figure 2).
- 5.6 Identifying tape blue painter's masking tape.
- 5.7 Camera.
- 5.8 Bench scale battery operable; include extra batteries (Figure 3).
- Heavy-duty aluminum foil (Reynolds Foodservice Foil 45.7cm x 152.4mm (624) and 38.1cm x 152.4mm (622)).

5.10 Talc-free nitrile exam gloves. 5.11 Paper towels. Garbage bags. 5.12 5.13 Polyethylene zip seal bags – gallons sizes. 5.14 Large (11 in X 14 in) polyethylene bags for preserving large fish 5.15 Plastic cable ties (zip ties). 5.16 Headlamp with extra batteries and an extra new bulb available. 5.17 Flashlights with extra batteries. 5.18 Gloves for handling fish. 5.19 Coolers with ice – enough coolers and ice for ice to surround expected fish collected. 5.20 5 gallon bucket. 5.21 Deionized distilled (DI) water. 5.22 Copy of QAPP which specifies the fish to be collected. 5.23 Scientific Collection Permits and associated equipment/references required by permits. 5.24 Electrofishing log forms (for boat and/or backpack electrofishers). Fish collection gear such as boat, electrofishers, nets, fishing poles and tackle, and 5.25 related equipment.




Figure 1. Field weather resistant notebook - Rite in the Rain.<sup>TM</sup>



Figure 2. Fish field identification tag.



Figure 3. Bench scale.

#### 6.0 Procedure

- 6.1 Fish collection planning.
- 6.1.1 Plan field sampling. Successful fish collection efforts require planning at various levels. The QAPP will describe project goals and help guide the selection of fish to collect from designated sites. Various Scientific Collection Permits are required at all sites and may dictate numerous conditions related to fish collection efforts. Reconnaissance of fish collection locations provides information needed to plan field efforts. Selection of fish collection methods and gear help determine what resources are needed in the field to collect target numbers and species of fish. Finally, field efforts must be documented in order to meet requirements of various permits and to record information about samples collected for the project.
- Review QAPP. Identify the specifics needed to meet project objectives. Items of primary concern are: timing and locations of fish collections, numbers and size ranges of target species at each site, collection methods, field processing procedures, and any information relevant to the collection and preservation of samples.

Review collection permits. Determine the need for permits and/or permissions to collect fish at each site and contact the unit permit coordinator to obtain copies of relevant permits. Permits may need to be applied for, and is a process that can take from 2 to 6 months. One or more permits from various agencies and/or documented permission from other entities are needed to collect fish from, or gain access to, any site. Table 1 summarizes the various permits and agencies that may have jurisdiction at fish collection sites. Each permit has unique requirements about: species, locations, time of collection, collection methods and restrictions, personnel authorized for field work, record-keeping and reporting, notification of permitting authority, and more. Permits generally require that the permitting authority be contacted prior to collection within a time frame specified in permits (usually about 4 weeks to 3 days).

Table 1. Su	mmary of Permits or Permiss	ions Needed fo	or Collecting Fish.		
Who Issues	Example	Permit Type	Geographic Coverage	Species	Application Information
WDFW	Washington State Department of Fish and Wildlife	Formal Permit	All waters within state	All species	http://wdfw.wa.gov/scp/
NOAA - NMFS	Atmospheric Administration - National Marine Fisheries Service	Formal Permit	Most of state where about 14 ESA-listed anandromous salmonids species occur	Salmon & Steelhead	http://www.nmfs.noaa.gov/pr permits/esa_permits.htm
USFWS	U.S Fish and Wildlife Service	Formal Permit	Much of state where the ESA- listed Bull Trout has been found	Bull Trout	http://www.fws.gov/Endange ed/permits/index.html
National Parks	Olympic NP, Lake Roosevelt National Recreation Area	Formal Permit	Within National Park, Nat'l Recreation Area boundaries	All species	http://www.nps.gov/deva/Reduire.htm
Other State Agencies	Washington Parks and Recreation	Formal Permit	In waters or access points managed by WA Parks and Recreation	All species	http://www.parks.wa.gov/per mitmenu.asp
Tribes	about 30 recognized Tribes in Washington	documented permission or notification	In waters or access points where Tribes have jurisdiction	All species?	http://www.chs.hca.wa.gov/d
Other Federal Agencies	USFS, BLM, BOR, USACE,	documented permission or notification	In waters or access points where such agencies have jurisdiction	All species?	individual agencies
Local Government	Cities, towns, counties	documented permission or notification	In waters or access points managed by local gov't	All species?	individual governments
Private Landowners	private citizens, utility companies operating dams	documented permission or notification	In waters or access points managed by local gov't	All species?	individual private landowner

Table 1. Various permits and agencies that may have jurisdiction at fish collection sites.

- 6.1.4 Site Reconnaissance. Obtain information about the site, access, species, local conditions, and any information that will improve chances of a successful fish collection effort. WDFW and other agency biologists have been very helpful with local knowledge. A site reconnaissance checklist (Attachment 3) can help guide inquiries into site characteristics. Most reconnaissance can be done via phone, email, and office resources (e.g. Gazetteer, GIS, and other staff).
- Select fish collection methods. Determine which collection gear and methods are appropriate for site characteristics and meeting project objectives. Boat electrofishing and gill netting are the most common methods used by Ecology's Toxics Study Unit (TSU). Other methods include backpack electrofishing, angling, and use of other nets

such as beach seines, fyke nets, and otter trawls. Ensure needed equipment is available and in serviceable condition prior to field collection efforts. An inventory of nets and accessory gear (Attachment 4) is located at Y:\SHARED Files\WSTMP. Note that special training is required for boat operations and electrofishing.

- 6.2 Collect fish and document field efforts.
- 6.2.1 Prepare gear and travel to site with crew needed to collect fish.
- 6.2.2 At the site, brief crew on site specific objectives and operations such as: boating plan; collection methods and gear; site characteristics; target species, numbers, and size ranges; and record-keeping. Ensure all needed gear is loaded into boat if boat is used.
- 6.2.3 Prepare field logs for recording pertinent data from fishing effort. Set up the Boat Electrofishing Log form for the site (Figure 4) for any boat operations. This form is designed for use with the electrofishing boat, yet can be used for other boat operations as well. Other boats may have a log book for similar operations.




Figure 4. Front and back (right to left) of Electrofishing Log form.

If boat electrofishing, all fields are required to be filled out (NOAA permit requirement). If not boat electrofishing, all fields except Surface WQ and the Electronics Log need to be filled out. Enter time of day and engine hours when getting

underway and when returning to launch point. Measure and record the surface temperature and conductivity at a point representative of where electrofishing will occur. Fill out generator hours and electronics settings at start and end of electrofishing effort. Any changes in electrofishing settings during fishing are recorded in the Electronics Log section.

The back of the form is used to record the approximate number of individuals for each fish species encountered (WDFW permit requirement). Additional pages can be used for notes required by permits or additional information such as sample collection activities, hydrologic conditions, weather conditions, boat or equipment operations, any other unusual activities observed (i.e. dredging), or problems encountered that would be useful to the manager in evaluating the quality of the fish contaminant monitoring data.

If backpack electrofishing, the same type of information in the boat electrofishing log is required. An electronics log for backpack electrofishing is included as an example in Attachment 5.


If setting gill or fyke nets, or beach seine with block net, for each net ID, record the location of each net set on a map/chart or GPS coordinates and the times of net set and retrieval. Also record the numbers and species of fish collected with each net set. These notes are made in the field log book and/or on accompanying maps or charts of the site.

If trawling, record the net ID used, times and locations of trawl deployment and retrieval, and the numbers and species collected in the field logbook or accompanying maps or charts of the site.

If angling, record the location and time of effort along with numbers and species of fish encountered and collected in the field logbook or accompanying maps or charts of the site.

- 6.2.4 Collect fish and identify fish to species level as soon as collected. Ensure that adequate numbers and size ranges described in the QAPP are met. See Attachment 6 for target fish species. Nontarget species or specimens that do not meet size requirements should be returned to their home environment. Experienced personnel knowledgeable in local fish identification and taxonomic keys, appropriate to the waters being sampled, should be consulted for species identification. Correct identification of species in the field is critical to project needs.
- 6.2.5 Inspect fish to ensure that the specimen has no broken skin, damaged fins or other injuries that my compromise the quality of the sample. Damaged specimens should be discarded. Rinse selected fish in ambient water to remove any foreign material from the external surface.
- 6.2.6 At the end of the fish collection effort, return to the launch point, ensure that the field logs are correctly filled out, and begin preparations to process the fish retained for the study.

6.3	Prepare to field-process fish.
6.3.1	Prepare Field Logbook for the following:
6.3.1.1 6.3.1.2 6.3.1.3 6.3.1.4 6.3.1.5 6.3.1.6 6.3.1.7 6.3.1.8 6.3.1.9 6.3.1.10	Project Name Sampling date and time Sampling site location Collection method Collector's names Species collected and number of individuals of each species Field ID number for each fish specimen retained Total length (measured to nearest millimeter) Weight (measured to nearest gram) Notes including visible morphological abnormalities such as fin erosion, skin ulcers, cataracts, skeletal and exoskeletal anomalies, neoplasms, or parasites.
6.3.2	Prepare field identification tags for each specimen on a waterproof tag using indelible ink and writing implements that can function when wet (Figure 2). Record the site name, date collected, species or species abbreviation, and a unique field ID for the individual fish at that site, (e.g. RBT 01 through RBT 05 for five rainbow trout collected).
6.3.3	Prepare blue painter's tape to serve as specimen identification once the fish has been double-wrapped in foil. Write the abbreviated species and field ID on the tape with a sharpie marking pen. Tear off enough of the labeled tape to wrap around the foil-wrapped fish.
6.3.4	Label polyethylene bag(s) with a sharpie marker pen to hold the collected fish. Write the collection location, collection date, species of fish and unique field IDs of the fish placed in the bag.
6.4	Sample Processing and Preservation.
6.4.1	Stun large fish by a sharp blow to the base of the skull with a wooden or metal club to facilitate processing and packaging. Keep the club reasonably clean to prevent contamination of the samples. Small fish may be asphyxiated or stunned by putting on ice immediately after capture (U.S. EPA 2000).
6.4.2	Measure the total length to the nearest millimeter of each fish. Total length (also called maximum body length) is defined as the length from the anterior-most part of the fish to the tip of the longest caudal fin ray (when the lobes of the caudal fin are compressed dorsoventrally) (Figure 5) (U.S. EPA 2000 referencing Anderson and Gutreuter, 1983). Record total length in the Field Log Book.



### Maximum body length

Figure 5. Recommended measurements of body length and size for fish. Maximum body length is defined as the length from the anterior-most part of the fish to the tip of the longest caudal fin ray (when the lobes of the caudal fin are compressed dorsoventrally) (U.S. EPA 2000 referencing Anderson and Gutreuter, 1983).

- Weigh each fish to the nearest gram using a portable, battery operated bench scale. Record weight in the Field Log Book.
- Wrap individual fish in two layers of extra heavy duty aluminum foil (dull side in). Wrap completely in the first layer of foil then repeat with the second layer. Place labeled field identification tag between the two layers of foil. Secure wrapped fish with the labeled identifying tape by wrapping the tape around the middle of the wrapped fish (Figure 6).



Figure 6. Fish wrapped in two layers of foil (dull side to fish), taped with label and placed with same species into labeled water-tight polyethylene bags.

- Place fish of the same species into labeled water-tight polyethylene bag(s) and seal by zipping bag or by using zip ties. Place packaged fish in ice immediately.
- 6.4.6 Transport specimens to the processing lab as quickly as possible and place in a freezer at  $\leq$  -20 °C for later processing.

### 7.0 Records Management

- 7.1 Field Log Book The Field Log Book is kept with a designated project team member for safe-keeping and retrieval as needed.
- 7.2 Boat Electrofishing Log pre-preprinted log forms on Write in the Rain<sup>TM</sup> paper can be obtained from TSU staff Casey Deligeannis or Patti Sandvik.
- 7.3 The Lab Analysis & Tracking Plan and Processing Bench Sheet are tables, usually created in Excel®, used to document and coordinate all activities and data for single or multiple projects per collection and sampling time period and for documenting the tissue sample preparation for lab analysis. See *Fish Tissue Processing SOP* Section 7.0 for more information and about these two forms.

#### 8.0 Quality Control and Quality Assurance Section

- Assure sample integrity is preserved by preventing the loss of contaminants already present in the tissues and by preventing extraneous tissue contamination (U.S. EPA 2000). Loss of contaminants present in fish can be prevented by ensuring that the skin on fish has not been lacerated by the sampling gear or other mechanisms. Identify possible sources of extraneous tissue contamination such as sampling gear, grease from boat winches or cables, spilled engine fuel, engine exhaust, dust, ice chests and ice and take appropriate steps to minimize or eliminate them (U.S. EPA 2000).
- 8.2 Verify that all information is filled out on the field identification cards for each fish sample and that cards matches the same information written in the Field Log Book per fish length and weight.
- 8.3 Verify that the Field Log Book contains all documentation of field activities, sample data, methods and observations for each and all collection sites.
- 8.4 Verify the accuracy of the information in all hard copy and electronic documentation such as on the bench sheet and the lab tracking plan. Write the abbreviation *QA*, *date*, *and initial* each hard copy bench sheet, lab tracking plan and Field Log Book that you verify.

8.5 Drain ice chest often to prevent possible cross contamination from melting ice during transport.

#### 9.0 Safety

- 9.1 Fish processing should be conducted only by or under the supervision of someone with experience.
- Gloves are required for fish processing to avoid exposure to pathogens and chemicals, and to avoid sample contamination. Hands should be cleaned using soap and clean water after completing work or any time hands become soiled during the process. Gloves should be replaced whenever they get torn, punctured, or anytime used gloves are removed from hands.
- 9.3 Follow general procedures for safety found in the *Environmental Assessment Program Safety Manual* Chapter 1 (2006). Extra care should be given for night collections and field processing. Ensure adequate lighting. Use of a night head lamp is recommended. Have extra batteries and a new bulb available.

#### 10.0 References

- 10.1 U.S. EPA (Environmental Protection Agency). 2000. Guidance for assessing chemical contaminant data for use in fish advisories, Volume 1 fish sampling and analysis. 3<sup>rd</sup> ed. http://www.epa.gov/ost/fishadvice/volume1. Accessed March 2006.
- 10.2 Ecology. 2006. *Environmental Assessment Program Safety Manual*. Environmental Assessment Program. http://aww.ecology/programs/eap/Safety/New%20Safety%20Plan%2004-05-06.pdf. Accessed May 2006.
- 10.3 Zaroban, D.N., M.P. Mulvey, T.R. Maret, R.M. Hughes and G.D. Merritt. 1999. *Classification of Species Attributes for Pacific Northwest Fishes*. Northwest Science, Vol. 73, No. 2, pp. 81-93. May 1999.

## Attachment 1. Processing Bench Sheet, (example only)

Note: The bench sheet used during lab processing may look different due to different fields and requirements of the processes involved, but fields will be available for documentation and cross reference of each sample's information.

2005 WSTMP F	ish Fie	ld and	Bench	Processi	ng Data	ı	Sort #1: V	Naterboo	ly, Species	s, TL dec	ending or	ascendii	ng	Sort #2	: Wat	erbo	dy, Spe	ecies, E	CY Field	I ID	Processi	ng crew:
																					Orig	
	ECY		WDFW	WDFW	DNA	Total					_	fillet		l		l	scale				notes:	
	Field	_	Field	DNA ID		Length	_		Collect		Process	weight	1 1 1	1		fish		scale		otolith	opercle,	_
Waterbody	ID	Spec	ID	(CD05 -)	?	(mm)	(gm)	FCI	Date	Method	date	(gm)	fillet	status	sex	age	#	#	tray #	cell #	spine	Comment
																						Do as indiv for Hg Trend, All caught in NW
					.,					_			_		١_			١.				end of lake (boat launch area). Hg-20g
Loon Lake	1	LMB	-	652	Y	441	1542	1.80	10/26/05	ecy-E	1/14/06	290	R	ON	F	8	124	1	14	18	NA	ARCHIVE-20g for Hg TREND jars.
																						Do as indiv for Hg Trend, Also do as part of
																						5-fish comp for WSTMP. All caught in NW
	_			0.40	.,	405	4000	4.00	40/00/05	_	4 (00 (00	0.40			١	۱ ـ	400			40		end of lake, boat launch area. Hg-20g
Loon Lake	2	LMB	-	646	Y	425	1289	1.68	10/26/05	ecy-E	1/23/06	242	R	ON	М	7	123	2	14	13	NA	ARCHIVE-20g for Hg TREND jars.
																						Do as indiv for Hg Trend, Also do as part of
																						5-fish comp for WSTMP. All caught in NW
				0.47	.,	450	4705	4.00	40/00/05	_	4 (00 (00				_	١	400	_		40		end of lake, boat launch area. Hg-20g
Loon Lake	3	LMB	-	647	Υ	450	1725	1.89	10/26/05	ecy-E	1/23/06	286	R	ON	F	11	123	3	14	12	NA	ARCHIVE-20g for Hg TREND jars.
																						Do as indiv for Hg Trend, All caught in NW end of lake, boat launch area. Hg-20g
				054	.,	450		0.40	40/00/05	_	4/04/00		_		_	١.,		١.		40		
Loon Lake	4	LMB	-	651	Υ	453	2011	2.16	10/26/05	ecy-E	1/24/06	320	R	ON	F	10	124	4	14	19	NA	ARCHIVE-20g for Hg TREND jars.  Do as indiv for Hg Trend, Also do as part of
																						5-fish comp for WSTMP. All caught in NW
																						end of lake, boat launch area. Hg-20g
Loon Lake	5	LMB	_	648	Υ	473	1917	1.81	10/26/05	ecv-E	1/23/06	321	R	ON	F	11	123	5	14	14	NA	
Loon Lake	5	LIVID	-	048	r	4/3	1917	1.01	10/26/05	ecy-E	1/23/06	321	K	UN	Г	111	123	5	14	14	INA	ARCHIVE-20g for Hg TREND jars.  Do as indiv for Hg Trend, Also do as part of
																						5-fish comp for WSTMP. All caught in NW
																						end of lake, boat launch area. Hq-20q
Loon Lake	6	LMB	_	649	Y	438	1525	1.81	10/26/05	ecv-E	1/23/06	212	R	ON	М	10	123	6	14	16	NA	ARCHIVE-20g for Hg TREND jars.
LOUITLAKE	0	LIVID	-	049	- 1	430	1323	1.01	10/20/03	ecy-E	1/23/00	212	K	ON	IVI	10	123	-	14	10	INA	Do as indiv for Hg Trend, Also do as part of
																						5-fish comp for WSTMP. All caught in NW
																						end of lake, boat launch area. Hq-20q
Loon Lake	7	LMB	_	650	Y	490	2381	2.02	10/26/05	ecy-E	1/23/06	394	R	ON	F	12	123	7	14	15	NA	ARCHIVE-20g for Hg TREND jars.
LOUITLANG	- '	LIVID	_	030	-	490	2301	2.02	10/20/03	ecy-L	1/23/00	394	IX	ON	<u> </u>	12	123	- '	14	13	INA	Do as indiv for Hg Trend, All caught in NW
																						end of lake, boat launch area. Hg-20g
Loon Lake	8	LMB	_	653	Y	485	2015	1.77	10/26/05	ecv-E	1/24/06	375	R	ON	F	11	124	8	14	20	NA	ARCHIVE-20g for Hg TREND jars.
LOUITLANG	0	LIVID	-	000		400	2013	1.77	10/20/03	ecy-L	1/24/00	3/3	IX	ON	-	+''	124	0	14	20		Do as indiv for Hg Trend, All caught in NW
																						end of lake, boat launch area. Hg-20g
Loon Lake	9	LMB	_	654	Y	432	1569	1.95	10/26/05	ecv-E	1/24/06	262	R	ON	F	10	124	9	14	21	NA	ARCHIVE-20g for Hg TREND jars.
LOOH LAKE	9	LIVID	_	007		702	1303	1.00	10/20/03	GUy-L	1/27/00	202	1	- OIV	<del>'</del>	10	124	-	1.7	21		Do as indiv for Hg Trend, All caught in NW
																				1		end of lake, boat launch area. Hg-20g
Loon Lake	10	LMB	_	655	Y	425	1537	2.00	10/26/05	ecy-E	1/24/06	276	R	ON	F	8	124	10	14	17	NA	ARCHIVE-20g for Hg TREND jars.
LOON Lake	1 10	LIVID		000	<u>'</u>	720	1001	2.00	10/20/00	COY-L	1/24/00		1 1	J 314			1.27	1 10			14/1	PRICE LOGICAL TIG TREAD Jais.

## Attachment 2. Lab Analysis and Tracking Plan, (example only)

Note: The lab tracking plan may look different, due to different fields and requirements of the project(s) involved, but fields will be available for documentation and cross reference of each sample's collection and processing information.

	20	05 F	ish Sample Trac	king and	I Lab Plan:	Fina	l Copy.	Sort o	n "Site	-Speci	ies"				jar size ->	4 oz	4 oz	2 oz	4 oz				
Ħ	Ħ	ĒΤ				/samp									,	weig			le (gm)				
Ħ	T																,		(3)				
Ħ	5	tt							Pest							Pest							
MP.	Sa	96	Site			#	#fish		PCB	РСВ			MEL	MEL		PCB	РСВ			aliquot	skin:		Samples
WSTN	4 ¥,	ă	ž l		collect	fish	in	PBDE	PBDE				week	Lab	process	PBDE	Cong			per	off or		to Lab
S	إ≝ٍإادً	g v	Site	specie	date	avail	comp		lipid	ener	Hg	Field ID	#	ID	date	lipid	ener	Ηα	Archive		-	Comment	date
X :			Bead L	BUR	10/26/05	5	5	-	1	-		BEADBUR	51	4700	11/17/05	90	90	90	90	100	OFF	Commone	12/21/05
1			DCdd L	DOIL	10/20/03						<u> </u>	DEADBOIL	- 51	4700	11/11/00	30	50	30	50	100	011	SPAWNING NO	12/21/00
$ \mathbf{x} $	,		Bead L	кок	10/26/05	5	5	_	1	_	1	BEADKOK	51	4701	12/15/05	45	_	45	45	30	on	SCALES	12/21/05
<u> </u>		H	Bead L	LSS	10/26/05	5	5	1	-	-	Ė	BEADLSS	51	2000	11/15/05	90*	-	-	90*	50	on	COALLEC	12/21/05
x		t t	Bead L	NPM	10/26/05	9	5	-	1	1	1	BEADNPM	51	4702	11/18/05	90	90	50	90	100	on		12/21/05
x		tt	Bead L	PEA	10/26/05	5	5	-	1	-	1	BEADPEA	51	4703	11/18/05	40	-	18	40	20	on		12/21/05
			Chelan L	CTT	10/6/05	5	5	1	-	-	-	CHELCTT	51	2001		90*	-	-	90*	45	on		12/21/05
Ħ	Ħ																					Couldnt pull scales /	
			Chelan L	KOK	10/5/05	6	5	1	-	-	-	CHELKOK	51	2002	11/17/05	90*	-	-	90*	50	on	scales slipped	12/21/05
																						3 RBT & 2 CTT / see	
																						BS. DO not analyze	
			Chelan L	RBT	10/6/05	5	5	-	-	-	-	CHELRBT	<b>HOLD</b>	HOLD	11/16/05	90*	-	-	90*	40	on	due to mixed species.	
П			Columbia R @																				
	(		Kettle Falls	LSS	10/20/05	5	5	1	-	-	-	CRKETLSS	51	2003	10/25/05	90*	-	-	90*	130	on	* PBDE lipids only	12/21/05
			Columbia R @		9/13/05																	2 collection dates:	
			Kettle Falls	LWF	10/20/05	6	5	1	-	-	-	CRKETLWF	52	2027	12/23/05	90*	-	-	90*	75	on	9/13/05, 10/20/05	12/29/05
			Columbia R @																			4 RBT & 1 BT / see	
:	(		Kettle Falls	RBT	10/20/05	4	4	1	-	-	-	CRKETRBT	51	2004	11/16/05	90*	-	-	90*	50	on	BS	12/21/05
			Columbia R @																				
			Kettle Falls	WAL	10/20/05	5	5	1	-	-	-	CRKETWAL	51	2005	11/16/05	90*	-	-	90*	50	on		12/21/05
			Columbia R nr																				
1			Cathlamet	LSS	8/30/05	5	5	1	-	-	-	CRCATLSS	51	2006	11/14/05	90*	-	-	90*	75	on		12/21/05
			Columbia R nr	NIDNA	0/00/05	_	_				١.	OD OATNIDAE	00	4700	4/4/00	00		4.5	00	400		5-fish composite of	04/40/00
<b>x</b> :	( F	$\vdash$	Cathlamet	NPM	8/30/05	5	5	-	1	1	1	CRCATNPMF	02	4738	1/4/06	90	90	45	90	100	on	fillet	01/12/06
1	ا را		Columbia R nr	NPM	0/00/05	5	_					ODGATNIDMO	00	4700	1/4/06	90			90	336		5-fish composite of	04/40/00
X :	С	$\vdash$	Cathlamet Columbia R nr	NPW	8/30/05	5	5	-	1	-	<u> </u>	CRCATNPMC	02	4739	1/4/06	90	-	-	90	336	on	carcass	01/12/06
			Cathlamet	PEA	8/30/05	5	5	_	4		1	CRCATPEA	52	4720	12/20/05	90	_	50	90	52			12/29/05
<b>X</b> :		H	Cathlamet Columbia R nr	PEA	8/30/05	5	5	-	- 1	_		CRCATPEA	52	4720	12/20/05	90	-	50	90	52	on		12/29/05
	,		McNary Dam	СС	11/15/05	5	5	1	_	_	l _	CRMCNARCC	51	2015	12/15/05	90	_		90	44	OFF		12/21/05
H	$\vdash$	++	Columbia R nr	- 00	11/13/03	5	5	,	-	<u> </u>	Ë	CHIVICINAINCE	31	2013	12/13/03	90	_	H	30		OI F		12/21/03
	,		McNary Dam	LSS	11/15/05	5	5	1	_	_	١.	CRMCNARLS	51	2016	12/16/05	90*	_	۱.	90*	90	on	* PBDE lipids only	12/21/05
H	$\forall \exists$	H	Columbia R nr		11/10/00							C. WIOTV ITEO	- 01	2010	12/10/00	- 50			30	- 50	OII	1 DDL lipido offly	12/21/00
,	,		McNary Dam	ΥP	11/15/05	5	5	1	_	_	١.	CRMCNARYP	51	2014	12/16/05	75*	_	۱.	75*	32	on	* PBDE lipids only	12/21/05
x	$\dagger \dagger$	tt	Cowlitz River	CTT	8/29/05	5	5	-	1	1	1	COWCTT	51	4704	9/20/05	100	100	50	100	100	on	Field IDs 1,2,3,5,7	12/21/05
x	Ħ	tt	Cowlitz River	MWF	8/29/05	6	5	-	1	-	1	COWMWF	51	4706	10/20/05	90	80	40	75	75	on	, . , . , . , . , . , . , .	12/21/05
x	Ħ	tt	Cowlitz River	NPM	8/29/05	6	5	-	1	1	1	COWNPM	51	4707	10/20/05	80	80	40	90	87	on		12/21/05

## Attachment 3. Site Reconnaissance Checklist

## WSTMP Fish Sampling Site Recon Checklist (Oct 2005)

 Site Physical Info Gazetteer Page and Coord obtain map of site (e.g. WA Lakes book, web sites, USGS quad, NOAA chart, bathymetry useful)
 info on temperature, water levels (high flow/low flow issues?)
Contacts NOAA, USFWS, WDFW, other as required by Permits DFW biologist USFWS biologist Tribal biologist Ecology Regional staff, EAPer Others (e.g. local lodge, guide service, etc.) Lake Association or Volunteer Monitors? Sheriff DFW Enforcement Tribal Enforcement other gov't agency (e.g. USFS, city, county)
Fish Info check DFW regulations check WashingtonLakes.com site for site info, species, angler reports check Gazetteer for species info review hatchery plant record: species, size, numbers, release dates (DFW database or DFW web site) note sources of info species present size ranges of targets when where how fish/capture - local knowlwdge boat & launch access - public? Private? DFW boatlaunch key needed? conditions - weather, wind, current, hazards shoreside residents, night electrofishing bothersome? any local persons to contact about our ops? any DFW survey work done or planned any concerns about fishery, land use, pollutant sources, etc. DFW web site for fishing reports, updates to regs, etc.
ESA Listed species: timing of run for each listed species (start, peak, end) spawning habitat? strategies to avoid harassing listed species water temperatures
Historical data (water, sed, tissue) study, date, publication info brief summary of what done and findings fish info
 Invasive or Nuisance species presence ever surveyed? When? Plants? Animals? (e.g. NZ mudsnail) nuisance species present

# Attachment 4. Net and Accessory Gear Inventory

TSU Gill Net Inventory 8	3/9/200	)5 - fin	al draft	:																												
Notes: Red indicates di	spose	d gillr	net (GN	10 and	GN-1	1)																										
Net ID		GN-1			GN-2			GN	-3			GN-4			GN-5	5		GN-6	5		(	GN-7			GN-8	3		(	€N-10		GN-1	1
Total length (ft)		200			208			25	0			200			200			200				200			200				200		200	
Depth (ft)		8			6			6				8			8			8		Ш		6			8			<u> </u>	8		12	
Sink or float	5	sinking	9		sinkin	g		sink	ing		s	inking			sinkin	g		sinkin	g		si	inking			sinkin	g		fl	oating		sinkin	g
# panels & length (ft)	:	3 x 67			5 x 50	)		5 x	50		;	3 x 67			3 x 6	7		3 x 67	7		3	8 x 67			3 x 6	7		:	3 x 67		3 x 67	7
Mesh material & color	Wh	nite twi	ine	Off	white t	wine		Green	twine		Mon	ofilam	ent #	Gı	een tv	vine	Gre	een tw	vine		Mon	ofilam	ent #	Мо	onofilar	ment		Mon	ofilament	М	onofilar	ment
Panel conditon		hole	holes		hole	hole		ho	e ho				hole		hole	hole		hole	hole			hole			hole	holes		$\sqcup$	holes hole only 30'		holes	holes
Panel 1 mesh size (in)	2 1/2	4	4	2 3/8	16	25	2 :	3/8 18	3 10	0	2 1/4	2	-	2 1/2	: -	-	2 1/2	-	-	2	1/4	27	8	1 3/	4 2	8	Ш	1 3/4	remains only 15'	2 1/	4 50	20
Panel 2 mesh size (in)	2	1	-	2 1/8	8 12	5	2	1/8 18	3 4		1 7/8	5	-	2	-	-	2	-	-		1	30	2	1 1/	2 5	3		1 1/2	remains intact, no	1	36	8
Panel 3 mesh size (in)	1 1/2	2	-	1 7/8	9	7	1	7/8 24	1 1		1 1/4	-	-	1 1/2	: -	-	1 1/2	-	-		3/4	15	2	1	3	1		1	tears	3/4	35	4
Panel 4 mesh size (in)				1 3/4	4 12	3	1 :	3/4 8	1																							
Panel 5 mesh size (in)	Voc-	Has b	ridle	1 1/2	2 20	6	1	1/2 16	6 4		Voc -	not su	uro if							Ц,	No - F	Bridle i	e on									
Bridle		1 6' GN			Yes			Ye	s			ne cor			Yes			Yes				I-1 or			No			<u> </u>	No		No	
When purchased	Auç	gust 20	004	E	arly 90	D's		Early	90's		Aug	just 20	004	J	une 20	005	Ju	ıne 20	005			1992		J	une 20	002		Jui	ne 2002		1992	!
Cost		\$200 phis N	lot 9		?			?				\$230 phis N	lot 9	Por	\$300 earch		Pos	\$300 earch		Ш		?		Mo	\$200 mphis				\$200 phis Net &		?	
Mfg.		Twine			?			?			-	Twine		Nes	Inc.	iveis	Kes	Inc.	INCIS			?		ivie	Twine		Ц		Twine		?	
General condition notes: New Good Fair Poor	Good	cond.		out 10 betwee & 5 - cut or section panel reatta	on from I 1 - ached; rs mad	ion nel 4 ched;	rep 1;	ir; 5' ho paired repairs 5/05.	n pan		Good of leader panel 3' 6", le leader panel repaire missin from p section previou	lines of 3 - floatead lines of 1 are 4 ed 4' of g floateanel 2 of floateanel 2	at line ne 3'; on 4'; f : line i; 2'	lengt	on. B h - top ', bott	ridle line	New f seaso length 13' 6" 10' 6"	n. Bri - top , botto	idle	u le h 1 h	seableader lole at and las be	rittle ble; no lines; t sean 3/4 pa een ed 8/5	4'-5' n of anels	holes lines roug leade pane 3', le pane	ad line el 2 has panel	er nel 3 3"; s on pat line = 2' 3"; s 8'			good. Not ailable.	brittl has	availabl e; pane 12' 6' h el 1 has	el 2 ole;
Keep or dispose?		Keep			Keep			Kee	ер			Keep			Keep	)		Keep	)		ŀ	Keep			Keep	)		Di	sposed		Dispose	ed

		ELECTI	ROFISH	ER LOG	
				2-A POW	
		5 WITT 11-1	SN 103234	Mon/Day/Yr/_/ Stream Name/	
ANODE # CATHODE #.				Stream IDCrew Members (initials)	
WATER TEM	PERATURE	degree	s C		
SPECIFIC CO	ONDUCTIVITY	uS/cm	at 25 degrees C		
AMBIENT CO	NDUCTIVITY	uS/cm	at I	uctivity/[1.02^(25-T)].	
	This can SUBSTRATE (ckec)	be estimated by	. Specific condi	rnanics [ ]	
DOMINANT	AVG. WETTED WI	one) naturiock	m	rganics [ ]	
ESTIMATED	AVG. WETTED WI	EPTH	_ m		
ESTIMATED	AVG. THALWEG D				
DIGHT MOD	E (check one): 71 1:	81 1: 91 1: 101 1:	11[ ]. This refer	rs to cycle time (2,4,6,8 or 10	sec).
HIGHT MOD	L (check one). If I	01 11 -1 11			Sampling setting
TRIAL	LEFT MODE	VOLTAGE	Time started	Comments	(check one)
	F (30 Hz)	100	:hrs	s	[]
	F (30 Hz)	200	:hrs	s	[]
	F (30 Hz)	300		s	
	F (30 Hz)	400		s	
	F (30 Hz)	500	:hr:	s	
	F (30 Hz)	600	:hr	s	
	F (30 Hz)	700		s	
	F (30 Hz)	800		s	
	F (30 Hz)	900		s	
	F (30 Hz)	1000		s	
	I (45 Hz)	100	:hr	s	[]
	1 (45 Hz)	200		\$	
	1 (45 Hz)	300		'S	
	1 (45 Hz)	400	:hr	's	; ;
	I (45 Hz)	500	:hr	's	
	1 (45 Hz)	600		8	
	I (45 Hz)	700		'S	
	1 (45 Hz)	800	:hr	'S	[]
	I (45 Hz)	900	:hr	rs	[]
	I (45 Hz)	1000	:hr	rs	[]
2	L (60 Hz)	100		rs	[]
	L (60 Hz)	200		rs	[]
	L (60 Hz)	300		rs	[]
	L (60 Hz)	400 500		rs	[]
-	L (60 Hz) L (60 Hz)	600		rs	
	L (60 Hz)	700	: h	rs	
	L (60 Hz)	800	;h	rs	- []
	L (60 Hz)	900	;h	rs	
	L (60 Hz)	1000	:h	rs	- 11
GENERAL	COMMENTS:				
The state of the s					

### Attachment 6. Target Fish Species

Target fish species for Washington State Toxics Monitoring Program: sorted by order of preference using feeding behavior, comparative value to historical data, likelihood of encounter, angler use (2005). Adapted from Northwest Science (1999).

•					Water		order of	
ank	Common name	Scientific name	Habitat	Feeding	temp	Tolerance*	preference	Family name
	Largemouth bass	Micropterus salmoides	water col.	piscivore	warm	Т	1	Centrarchidae
	Smallmouth bass	Micropterus dolomieu	water col.	piscivore	cool	I	2	Centrarchidae
	Walleye	Stizostedion vitreum	water col.	piscivore	cool	I	3	Percidae
	Rainbow trout	Oncorhynchus mykiss	hider	invert/piscivore	cold	S	4	Salmonidae
	Brown trout	Salmo trutta	hider	invert/piscivore	cold	I	5	Salmonidae
	Cutthroat trout	Oncorhynchus clarki	water col.	invert/piscivore	cold	S	6	Salmonidae
	Kokanee salmon	Oncorhynchus nerka	water col.	invertivore	cold	S	7	Salmonidae
	Yellow perch	Perca flavescens	water col.	invert/piscivore	cool	I	8	Percidae
	Channel catfish	Ictalurus punctatus	benthic	invert/piscivore	warm	Т	9	Ictaluridae
	Brook trout	Salvelinus fontinalis	hider	invert/piscivore	cold	I	10	Salmonidae
	Lake trout	Salvelinus namaycush	benthic	piscivore	cold	S	11	Salmonidae
	White sturgeon	Acipenser transmontanus	benthic	invert/piscivore	cold	I	12	Acipenseridae
	Green sturgeon	Acipenser medirostrus	benthic	piscivore	cold	S	13	Acipenseridae
	Burbot	Lota lota	benthic	piscivore	cold	I	14	Gadidae
	Mountain whitefish	Prosopium williamsoni	benthic	invertivore	cold	I	15	Salmonidae
	Lake whitefish	Coregonus clupeaformis	water col.	invertivore	cold	I	16	Salmonidae
	Black crappie	Pomoxis nigromaculatus	water col.	invert/piscivore	warm	Т	17	Centrarchidae
	Pumpkinseed	Lepomis gibbosus	water col.	invert/piscivore	cool	Т	18	Centrarchidae
	White crappie	Pomoxis annularis	water col.	invert/piscivore	warm	Т	19	Centrarchidae
	Rock bass	Ambloplites rupestris	water col.	invert/piscivore	warm	I	21	Centrarchidae
	Warmouth	Lepomis gulosis	water col.	invert/piscivore	warm	Т	22	Centrarchidae
	Green sunfish	Lepomis cyanellus	water col.	invert/piscivore	warm	Т	23	Centrarchidae
	Bluegill	Lepomis macrochirus	water col.	invert/piscivore	warm	Т	23.5	Centrarchidae
	Common carp	Cyprinus carpio	benthic	omnivore	warm	Т	24	Cyprinidae
	Northern pikeminnow	Ptychocheilus oregonensis	water col.	invert/piscivore	cool	Т	25	Cyprinidae
	Peamouth	Mylocheilus caurinus	water col.	invertivore	cool	I	26	Cyprinidae
	Brown bullhead	Ameiurus nebulosus	hider	invert/piscivore	warm	Т	27	Ictaluridae
	Yellow bullhead	Ameiurus natalis	hider	invert/piscivore	warm	Т	28	Ictaluridae
	Longnose sucker	Catostomus catostomus	benthic	invertivore	cold	I	29	Catostomidae
	Largescale sucker	Catostomus macrochelius	benthic	omnivore	cool	Т	30	Catostomidae
	Chiselmouth	Arocheilus alutaceaus	benthic	herbivore	cool	I	31	Cyprinidae
	Bridgelip sucker	Catostomus columbianus	benthic	herbivore	cool	Т	32	Catostomidae
	Mountain sucker	Catostomus platyrhynchus	benthic	herbivore	cool	I	33	Catostomidae
	Sculpins	Cottus sp.	benthic	invertivore	cool	Т	34	Cottidae
	Starry flounder	Platicthys stellatus	benthic	invertivore	cold	S	35	Pleuronectidae

Use order of preference as a guide. Higher trophic level species preferred over lower level. Consider availability of fish, size, historical data available, mix of families/trophic levels per site, angler use.
\*Overall pollution tolerance as sensitive (S), tolerant (T), or intermediate (I) - for fish species. Northwest Science 73(2):81-93.